



WIRE ROPE HOIST



NORMAL WIRE ROPE HOIST

Lifting Height
6 Mtr. TO 50 Mtr. Or More

Safe Working Load
1 Ton TO 50 Ton Or More

INOVIC Wire Rope Hoists are precision-engineered for high-performance industrial material handling applications. Designed in compliance with IS / DIN standards, they ensure durability, reliability, and long service life under continuous duty conditions.

Built with robust construction and enhanced safety features, the system includes a heavy-duty gearbox, fail-safe electromagnetic brakes, high-tensile wire rope, and a precision-machined rope drum for smooth and accurate lifting.

Equipped with limit switches, thermal motor protection, and overload safety systems, INOVIC Wire Rope Hoists deliver safe operation, reduced downtime, and optimum efficiency across various industrial environments.



INOVIC CRM
(INDIA) PRIVATE LIMITED

INOVIC CRM
(INDIA) PRIVATE LIMITED

ELECTRIC WIRE ROPE HOIST - LOW HEAD ROOM



CAPACITY 5 TON
LIFTING HEIGHT 6 MTR
HT & CT GEAR MOTOR: BBL MAKE
HT & CT GEARBOX MAKE: PBL (ELECON)

9725245524

info@inoviccrm.com

www.inoviccrm.com



INOVIC CRM
(INDIA) PRIVATE LIMITED

ELECTRIC WIRE ROPE HOIST




CAPACITY 7.5 TON
LIFTING HEIGHT 9 MTR, FALL: 1/4 FALL
PANEL: WITHOUT PANEL
HT & CT MOTOR: ABB, HT BRAKE: SNT (THRUSTER BRAKE)
HT & CT GEARBOX: PBL (ELECON)
3 YEARS HOIST WARRANTY, 5 YEARS GEARBOX WARRANTY, 3 YEARS MOTOR WARRANTY, 10 YEARS SPARES SUPPORT BY INOVIC.

9725245524

info@inoviccrm.com

www.inoviccrm.com

ELECTRIC WIRE ROPE HOIST



INOVIC CRM
(INDIA) PRIVATE LIMITED

ELECTRIC WIRE ROPE HOIST - CURVATURE



CAPACITY 5 TON, LIFTING HEIGHT: 30 MTR, FALL: 2/4 FALL
WIRE ROPE DIA: 12 MM, MOTOR MAKE: NEPTUNE (HT & CT),
HT BRAKE: AC DISC BRAKE, TOP GEAR MAKE: NEPTUNE (HT & CT),
BRAKE MAKE: ARIHANT,
PANEL: 4-WAY PANEL

9725245524

info@inoviccrm.com

www.inoviccrm.com

FLP

WIRE ROPE HOIST

Lifting Height
6 Mtr. TO 50 Mtr. Or More

Safe Working Load
1 Ton TO 50 Ton Or More

INOVIC Flameproof Wire Rope Hoists are engineered to deliver safe, reliable, and efficient lifting performance in hazardous and explosive industrial environments. Designed in compliance with applicable flameproof and safety standards, these hoists ensure maximum protection against spark and ignition risks.


Key Features:

- Flame-proof motors and electrical components
- Spark-free braking system
- Designed as per applicable flame-proof standards
- Suitable for Zone-classified hazardous areas



/1

INOVIC CRM
(INDIA) PRIVATE LIMITED



/2

INOVIC CRM
(INDIA) PRIVATE LIMITED

ELECTRIC WIRE ROPE HOIST - FLP (SEMI)



CAPACITY 1 TON, LIFTING HEIGHT: 6 MTR, FALL: 1/2 FALL
WIRE ROPE DIA: 8 MM, HT & CT MOTOR MAKE: BBL (FLP),
CT GEARBOX MAKE: TOP GEAR TRANSMISSION,
HT BRAKE: AC DISC BRAKE (FLP),
BRAKE MAKE: TEMPORITY,
PANEL: 4-WAY FLP PANEL

9725245524

info@inoviccrm.com

www.inoviccrm.com

/1 Fully FLP Wire Rope Hoist designed for Zone 1 & 2 hazardous areas. All electrical components are housed in certified Ex-proof enclosures. FLP panel includes contactors, overload relay, and protection systems for safe operation.

/2 Flameproof motor manufactured as per IS/IEC standards with suitable gas group and temperature class. Integrated FLP electromagnetic brake ensures spark-free braking and reliable load holding.

/3 Heavy-duty CT wheels provide smooth cross travel and high load capacity. Precision-machined pulley ensures correct rope alignment, reduced wear, and safe load handling in hazardous environments.

/4 Flameproof limit switches prevent over hoisting and lowering. Ex-proof pendant station enables safe operator control while ensuring compliance with hazardous area safety standards.

/3

INOVIC CRM
(INDIA) PRIVATE LIMITED



/4

SEMI FLP - ELECTRIC WIRE ROPE HOIST

INOVIC CRM
(INDIA) PRIVATE LIMITED



CAPACITY 1 TON LIFT 15 MTR
MFG. DATE 05-12-17 BRAND: INOVIC

High-Performance Wire Rope Hoist Solutions

Delivering precision-engineered wire rope hoists designed for superior lifting performance, operational safety, and long-term industrial reliability.



PRODUCT PORTFOLIO



PBL WRH

A Wire Rope Hoist is used where heavy lifting, high speed, durability, and safety are required. It uses steel wire ropes that provide high strength, longer service life, and reliable operation compared to chain hoists.



NORMAL WRH

This is our standard Wire Rope Hoist model, manufactured with proven engineering and quality standards. We produce 120+ units per month, reflecting strong manufacturing capability and consistent market demand.



FLP WRH

An FLP (Flameproof) Wire Rope Hoist is designed for hazardous areas with flammable gases, vapors, or dust. All electrical components are enclosed in certified flameproof housings to prevent ignition of the surrounding atmosphere.

TIMELINE

L&T Group

PROJECT 01

We have successfully completed the project for 14 Nos. EOT Cranes at L&T. The project was executed in accordance with technical specifications and industry standards, ensuring high performance, safety, and reliability.

Afcons Infrastructure Ltd.

PROJECT 03

We have successfully completed the supply and execution of 20 Nos. 20 Ton Capacity Wire Rope Hoists for Afcons Infrastructure Ltd. The project was carried out as per approved technical specifications, ensuring superior performance, operational safety, and long-term reliability.

Railway Project

PROJECT 02

We have successfully completed the execution of 6 Nos. Winch Machines (1050 Ton Capacity with 200 Meter Pulling Length) for a Railway Project. The equipment was manufactured and delivered in accordance with stringent technical and safety standards to ensure high performance under demanding site conditions.

Mechelonic Engineers

PROJECT 04

We have successfully completed the supply and execution of 42 Nos. 2-Ton Capacity Wire Rope Hoists for Mechelonic Engineers for a Railway Project. The project was carried out in accordance with approved technical specifications and railway safety standards, ensuring consistent performance, operational safety, and long-term durability.

150+

**EXPERIENCED PROFESSIONALS
DRIVING OUR OPERATIONS.**

With **150+** experienced professionals driving our operations, we maintain complete control over every stage of manufacturing. Our skilled workforce combines technical knowledge, hands-on experience, and process discipline to deliver reliable cranes and hoisting solutions that meet international standards and customer expectations.



TRUSTED BY INDUSTRY LEADERS

OUR VALUED PARTNER IN SUCCESS



TATA STEEL

TATA POWER



JOBHY ENGINEERS PVT. LTD.

adani

SPXFLOW



INOVIC CRM
(INDIA) PRIVATE LIMITED

THANK YOU

@INOVIC CRM INDIA PVT. LTD.

Email

info@inoviccrm.com

Phone Number

9725245524

Website

www.inoviccrm.com



Office & Factory : Unit - 1 : Plot No 62/7+ 8, Phase -1, Vatva GIDC, Ahmedabad, Gujarat-382445
Factory : Unit - 2 : Plot No 1717, Phase -3, Trikampura Patiya, Vatva GIDC, Ahmedabad, Gujarat-382418